



Kamal Diagnostic Center

Patient Name: Mrs. Dummy Registered on: 09/08/2022 02:49 PM

 Age / Sex:
 34 YRS / F
 Collected on:
 09/08/2022

 Referred By:
 Dr. Self
 Received on:
 12/08/2022

Reg. no. / UHID: 1008 / Reported on: 09/08/2022 02:49 PM

Investigations: Viral Marker

SEROLOGY & IMMUNOLOGY

VIRAL MARKER

TEST	VALUE	UNIT	REFERENCE	
HIV (Card Test)				
HIV - 1	NEGATIVE			
HIV - 2	NEGATIVE		27	

- 1. A negative result implies that no Anti HIV 1 & HIV 2 antibodies have been detected in the sample by this method. This means that either the patient has not been exposed to HIV-1 or HIV-2 infection on the sample has been tested during the "WINDOW PHASE" (before the development of detectable levels of antibodies).
- 2. A positive result suggests the possibilities of HIV-i and ℓ of HIV-II infection. However these results must be verified by a confirmatory test (IFA / WESTERN BLOT I-II) before preneurally the patient positive for HIV-1 and ℓ or HIV-2 infection.

VDRL NON-REACTIVE

LIMITATION:

- 1. The test described here is primarily valid as a screening procedure. It advisable to confirm positive sample with other methods employing specific treponemal antigen e.g tpha, ftaabs etc.
- 2. This method may give false positive result in presence of disease such as leprosy, malaria, toxoplasma, infectious monocucleosis or lupus erythematous.

Hepatitis C Virus, HCV NEGATIVE HBsAg NEGATIVE

A Negative result does not preclude the possibility of infection with HBV. Other clinically available tests are required if questionable result are obtained. As with all diagnostic tests, a definitive clinical diagnosis should not be based on the result of single test, but should only be made by the physician after all clinical and laboratory findings have been evaluated.

~~~ End of report ~~~

Mr. Sachin Sharma DMLT, Lab Incharge



Dr. A. K. Asthana MBBS, MD Pathologist

Page 1 of 1

Opposite Hospital Hospital Road, New Delhi

011-03849283