



Labsmart Software

Sample Letterhead

+91 12345 67890

yourlabname@gmail.com

https://www.yourlabname.in/

Mr. Dummy

Age / Sex : 42 YRS / M
Referred by : Dr. Sachin Patil (MBBS)
Reg. no. : 1118



Registered on : 03/12/2024 01:27 PM
Collected on : 03/12/2024
Received on : 03/12/2024
Reported on : 03/12/2024 01:27 PM



MICROBIOLOGY

TEST	VALUE	UNIT	REFERENCE
ACID - FAST BACILLI			
SAMPLE TYPE	Sputum		
RESULT	Negative		

Note:

A positive Acid-Fast Bacillus (AFB) smear result provides an initial indication of a Mycobacterial infection. The positivity and grade of the smear suggest the relative bacterial burden and correlate with the clinical presentation of the disease. Conversely, a negative AFB smear may indicate the absence of Mycobacterial infection or that the Mycobacteria are present in insufficient numbers to be detected under the microscope. It does not, however, differentiate between viable and non-viable organisms, nor does it distinguish between different Mycobacterial species.

Usage:

This test is employed to detect acid-fast bacteria, primarily Mycobacterium tuberculosis, for the purposes of diagnosing and monitoring tuberculosis.

~~~ End of report ~~~

Mr. Sachin Sharma  
DMLT, Lab Incharge

Dr. A. K. Asthana  
MBBS, MD Pathologist

NOT VALID FOR MEDICO LEGAL PURPOSE

Work timings: Monday to Sunday, 8 am to 8 pm

Please correlate clinically. Although the test results are checked thoroughly, in case of any unexpected test results which could be due to machine error or typing error or any other reason please contact the lab immediately for a free evaluation.